

**Inyector PoE Ubiquiti Networks POE4824WG, 120/230V, 48VDC, 0.5A, 24W**



Inyector PoE Ubiquiti Networks POE4824WG, 120/230V, 48VDC, 0.5A, 24W

Model	POE48-24W-G
Dimensions	92 x 60 x 33 mm (3.62 x 2.36 x 1.30")
Weight	158.5 g (5.59 oz)
Output Voltage	48VDC @ 0.5A
LAN Activity Indicator	No
Gigabit LAN Port	Yes
Remote Reset Capability	No
Reset Button	No
Rated Voltage	100-240VAC @ 50/60Hz
Input Current	0.6A @ 120VAC, 0.4A @ 240VAC
Inrush Current	<65A Peak @ 120VAC, <130A Peak @ 230VAC
Efficiency	80+%
Output Ripple	1% Max.

Switching Frequency	65 kHz
Line Regulation	$\leq 3\%$
Load Regulation	$\leq 5\%$
2-Pair Powering	Pins 4, 5 (+) and Pins 7, 8 (-)
4-Pair Powering	–
Operating Temperature	0 to 40° C (32 to 104° F)
Storage Temperature	-30 to 70°C (-22 to 158° F)
Operating Humidity	35 to 95% Noncondensing
AC Connector	IEC-320 C6
Data IN / POE	RJ45 Shielded Socket
Surge Protection	Difference and Common Mode
Clamping Protection	11V Data, 60V Power
Max. Surge Discharge	1500A (8/20 $\mu$ s) Power
Peak Pulse Current	36A (10/1000 $\mu$ s) Data
Shunt Capacitance	<5 pF data
Response Time	<1 ns
Certifications	CE, FCC, IC, UL

**Disco duro Seagate Barracuda ST4000DM004, 4TB, SATA 6.0 Gbps, 5400 RPM, 3.5".**



**CARACTERISTICAS :**

MARCA	SEAGATE
MODELO	BARRACUDA
NUMERO DE PARTE	ST4000DM004
CAPACIDAD	4 TB
INTERFAZ	SATA 6.0 Gb/s
VELOCIDAD DE ROTACION	5400 RPM
VELOCIDAD DE ACCESO	6.0 MS
CACHE	256 MB
FORMATO	3.5 PULG
DIMENSIONES DEL PRODUCTO	2.02 x 10.16 x 14.70 CM
PESO	490 GR

**TECLADO Y MOUSE MICROSOFT 3J2-00008 DESKTOP 600 USB**



<b>Marca</b>	Microsoft
<b>Modelo</b>	Wired Desktop 600
<b>Número De Parte</b>	3J2-00008
<b>Kit</b>	Teclado + Mouse
<b>Conector</b>	Usb
<b>Tipo</b>	Multimedia
<b>Idioma</b>	Español
<b>Color</b>	Negro
<b>Presentación</b>	Caja
<b>Prueba De</b>	Derrame De Líquidos
<b>Contenido</b>	Teclado Mouse Guía